

FIGURE 1




FIGURE 2.




FIGURE 3




FIGURE 4




FIGURE 5.




FIGURE 6




FIGURE 7.




FIGURE 8.




FIGURE 9.




FIGURE 10.




FIGURE 11.




FIGURE 12.




FIGURE 13.




FIGURE 14.




FIGURE 15.




FIGURE 16.





FIGURE 17.



T0722T 002620T

FIGURE 20.





FIGURE 21.



P. 16: 002500

Figure 23.





Figure 22.



2022-09-26 09:26:00

Figure 24





Figure 25.



T0221-03252001

Figure 26.






Figure 27.



Variable	Mean	SD	Min	Max
Age	34.5	10.2	18	65
Gender	0.5	0.5	0	1
Marital status	0.7	0.5	0	1
Education	12.5	2.5	8	16
Income	15.2	5.8	5	30
Health status	0.8	0.4	0	1
Smoking status	0.3	0.5	0	1
Alcohol consumption	0.2	0.4	0	1
Exercise frequency	0.5	0.5	0	1
Stress level	4.2	1.5	1	7
Sleep quality	3.8	1.2	1	6
Work satisfaction	4.5	1.8	1	7
Life satisfaction	5.2	2.0	1	7
Depression score	2.1	1.5	0	5
Anxiety score	1.8	1.2	0	4
Resilience score	3.5	1.0	1	5
Optimism score	3.2	1.1	1	5
Self-efficacy score	3.0	1.0	1	5
Perceived stress score	2.5	1.2	0	5
Life events score	1.5	1.0	0	3
Social support score	4.0	1.5	1	6
Work-life balance score	3.5	1.2	1	5
Healthcare utilization score	2.0	1.0	0	4
Health insurance status	0.9	0.3	0	1
Access to healthcare	0.8	0.4	0	1
Healthcare costs	10.5	3.5	5	20
Healthcare quality	4.5	1.5	1	7
Healthcare accessibility	4.0	1.2	1	6
Healthcare satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0	1.2	1	6
Healthcare utilization satisfaction	4.2	1.5	1	7
Healthcare utilization frequency	2.5	1.0	0	5
Healthcare utilization cost	15.0	5.0	5	30
Healthcare utilization quality	4.5	1.5	1	7
Healthcare utilization accessibility	4.0			







Figure 30.






Figure 31.




Figure 32.




Figure 33.




Figure 34.




Figure 35.

Figure 36.




Figure 37.




Figure 38

Hart-rate (beats per minute) of Ri429 during sepsis




Figure 39

Blood pressure (mmHg) of Ri429 during sepsis without treatment




Figure 40

Systolic - Diastolic bp of Ri429 during sepsis without treatment




Figure 41

SpO₂ of Ri429 during sepsis without treatment




Figure 42

Heart-rate (beats per minute) of Ri459 during sepsis





Figure 43 Bloodpressure (mmHg) of Ri459 during sepsis and treatment with NMPF



Systolic - Diastolic bp of Ri459 during treatment with NIMPF




Figure 45 SpO₂ of Ri459 during sepsis and treatment with NMPF






Figure 46

Hart-rate (beats per minute) of Ri427 during sepsis



101221 90262977

Figure 47 Bloodpressure (mmHg) of R427 during sepsis and treatment with NMPF



Systolic - Diastolic bp of Ri427 during treatment with NMPF

Figure 48




Figure 49 SpO₂ of Ri427 during sepsis and treatment with NMPF




Figure 50






Figure 51






Figure 52




Figure 53

